

OLIFF & BERRIDGE, PLC

ATTORNEYS AT LAW

September ¹⁶~~10~~, 2004277 SOUTH WASHINGTON STREET
ALEXANDRIA, VIRGINIA 22314TELEPHONE: (703) 836-6400
FACSIMILE: (703) 836-2787
E-MAIL: OGB@OLIFF.COM
WWW.OLIFF.COM**FACSIMILE TRANSMISSION COVER SHEET**To: Examiner Shefali D. Patel
U.S. Patent and Trademark Office
Group Art Unit 2621
Fax (703) 746-9407

From: James A. Oliff

Your Ref.: 09/816,385

Our Ref.: 108634

Number of Pages Sent (Including cover sheet): ~~1~~ 3

Prepared By: sxb

Comments:

Sent by:

This facsimile is intended only for the use of the individual or entity named above and may contain privileged or confidential information. If you are not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are notified that any review, dissemination, distribution or copying of this facsimile is prohibited. If you have received this facsimile in error, please immediately notify us by facsimile or telephone, and return the facsimile to us by mail at the above address.

Called, left msg. on 9/17/04.

Oct. 5th10³⁰ amMeet @ 6th fl.

INTERVIEW PURPOSES ONLY

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Yoshiaki KOMATSU

Group Art Unit: 2621

Application No.: 09/816,385

Examiner: S. Patel

Filed: March 26, 2001

Docket No.: 108634

For: STROKE DATA EDITING DEVICE

REQUEST FOR PERSONAL INTERVIEW

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicant herein requests a personal interview for the above-identified application.

Applicant plans to traverse the rejection of claims 1-8, 15 and 17-25 under 35 U.S.C. §102(b) over Rhyne et al. (Rhyne), U. S. Patent No. 5,511,135.

Applicant plans to assert that ~~Rhyne fails to disclose a stroke data retrieving unit that retrieves, according to a predetermined condition, at least one piece of the stroke data from the stroke data storage unit, the retrieved stroke data corresponding to at least one stroke included in a predetermined area, as recited in claim 1, and as similarly recited in claims 17, 20 and 23. Applicant plans to assert that Rhyne fails to disclose this feature because Rhyne fails to place a predetermined condition on how strokes are retrieved.~~ Rather, Rhyne separates the strokes according to a predetermined condition (i.e., whether the strokes are stored in a normal mode or an error mode) before the strokes are routed to and stored in one of two storage devices. The passages cited in the Office Action only refer to how Rhyne separates the strokes before the strokes are routed to and stored in one of two storage devices.


NOT FOR ENTRY

INTERVIEW PURPOSES ONLY

Application No. 09/816,385

Applicant thus herein requests a personal interview in order to particularly explain why Rhyne fails to disclose all of the features recited in claims 1, 17, 20 and 23. The Examiner is requested to contact the undersigned at the telephone number listed below in order to schedule a personal interview.

Respectfully submitted,



James A. Oliff
Registration No. 27,075

Scott M. Schulte
Registration No. 44,325

JAO:SMS/sxb

Date: September 15, 2004

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

**DEPOSIT ACCOUNT USE
AUTHORIZATION**

Please grant any extension
necessary for entry;

Charge any fee due to our
Deposit Account No. 15-0461